Index of Authors

AASKOV, J. *See* HOLA-JAMRISKA, L.

ÀLVAREZ-PELLITERO, P. *See* PALENZUELA, O.

ALLSOPP, B. A. *See* COLLINS, N. E.

ALVES, J. *See* AREZ, A. P.

ANDRADE, A. F. B. *See* DIAS FILHO, B. P.

ANGLUSTER, J. *See* DIAS FILHO, B. P.

ARAÚJO, A. M. *See* HAAG, K. L.

ARCHER-BAUMANN, C. *See* JÄKEL, T.

AREZ, A. P., SNOUNOU, G., PINTO, J., SOUSA, C. A., MODIANO, D., RIBEIRO, H., FRANCO, A. S., ALVES, J. and DO ROSARIO, V. E. A clonal *Plasmodium falciparum* population in an isolated outbreak of malaria in the Republic of Cabo Verde, 347

ASHWORTH, S. T. *See* KENNEDY, C. R. Density-dependent effects of *Anguillicola crassus* (Nematoda) within its European eel definitive host, 289

ATKINSON, R., HARPER, P. A. W., RYCE, C., MORRISON, D. A. and ELLIS, J. T. Comparison of the biological characteristics of two isolates of *Neospora caninum*, 363

BAETA, S. M. *See* PIT, D. S. S.

BAGGE, A. M. and VALTONEN, E. T. Development of monogenean communities on the gills of roach fry (*Rutilus rutilus*), 479

BANDI, C. *See* HURST, G. D. D.

BANERJEE, C., SARKAR, D. and BHADURI, A. Ca^{2+} and calmodulin-dependent protein phosphatase from *Leishmania donovani*, 567

BARKER, D. C. *See* McCANN, S. H. E.

BENCHIMOLI, M. *See* DIAS FILHO, B. P.

BERNADINA, W. E. *See* MARTINEZ, J.

BERTRAND, D. *See* HURST, G. D. D.

BHADURI, A. *See* BANERJEE, C.

BIDERRE, C., MATHIS, A., DEPLAZES, P., WEBER, R., METENIER, G. and VIVARES, C. P. Molecular karyotype diversity in the microsporidian *Encephalitozoon cuniculi*, 439

BOEHMLER, A. M. *See* JÄKEL, T.

BØGH, H. O., ZHU, X. W., QIAN, B.-Z. and GASSER, R. B. Scanning for nucleotide variations in mitochondrial DNA fragments of *Schistosoma japonicum* by single-strand conformation polymorphism, 73

BOWMAN, D. D. *See* LINDSAY, D. S.

BRADLEY, J. E. *See* KLÄGER, S. L.

BREITENMOSER, A. C., MATHIS, A., BÜRGI, E., WEBER, R. and DEPLAZES, P. High prevalence of *Enterocytozoon bieneusi* in swine with four genotypes that differ from those identified in humans, 447

BRINDLEY, P. J. *See* HOLA-JAMRISKA, L.

BRONSVOORT, M. *See* TCHAKOUTÉ, V. L.

BROOKER, S. *See* GUYATT, H. L.

BROWN, D. J. *See* NICHANI, A. K.

BROWN, G. G. D. *See* NICHANI, A. K.

BUCKLING, A., RANFORD-CARTWRIGHT, L. C., MILES, A. and READ, A. F. Chloroquine increases *Plasmodium falciparum* gametocytogenesis *in vitro*, 339

BÜRGI, E. *See* BREITENMOSER, A. C.

BUTTERWORTH, A. E. *See* KABATEREINE, N. B.

CANOVA, S. G. *See* ROSENZVIT, M. C.

CAMPBELL, D. A. *See* FERNANDES, O.

CAMPBELL, D. A. *See* GRISARD, E. C.

CAMPBELL, J. D. M. *See* NICHANI, A. K.

CAMPBELL, J. F., KOPPENHÖFER, A. M., KAYA, H. K. and CHINNASRI, B. Are there temporarily non-infectious dauer stages in entomopathogenic nematode populations: a test of the phased infectivity hypothesis, 499

CAPRON, A. *See* COCUDE, C.

CÊTRE, C. *See* COCUDE, C.

CHAPPELL, L. H. *See* ROBERTS, H. C.

CHATTERJEE, S., DRUILHE, P. and WERY, M. Irradiated sporozoites prime mice to produce high antibody titres upon viable *Plasmodium berghei* sporozoite challenge, which act upon liver-stage development, 219

CHATTERJEE, S. *See* ZECHINI, B.

CHEN, X. Q., SINGH, M., HOWE, J., HO, L. C., TAN, S. W. and YAP, E. H. *In vitro* encystation and excystation of *Blastocystis* ratti, 151

CHINNASRI, B. *See* CAMPBELL, J. F.

CHIODINI, P. L. *See* HAMILTON, J. V.

CHUNG, K. W. *See* SENOK, A. C.

CLAES, Y. *See* VAN DEN ABBEELE, J.

CLARK, R. K. and KUHN, R. E. *Trypanosoma cruzi* does not induce apoptosis in murine fibroblasts, 167

COCHRANE, A. G. *See* HURST, G. D. D.

COCUDE, C., PIERROT, C., CÊTRE, C., FONTAINE, J., GODIN, C., CAPRON, A. and KHALIFE, J. Identification of a developmentally regulated *Schistosoma mansoni* serine protease homologous to mouse plasma kallikrein and human factor 1, 389

COLLINS, N. E. and ALLSOPP, B. A. *Theileria parva* ribosomal internal transcribed spacer sequences exhibit extensive polymorphism and mosaic evolution: application to the characterization of parasites from cattle and buffalo, 541

CONSTANTINE, C. C. *See* HOPKINS, R. M.

COOSEMANS, M. *See* VAN DEN ABBEELE, J.

CORDIER, L. *See* ZECHINI, B.

COSTA, S. S. *See* DA-SILVA, S. A. G.

COULSON, P. S. *See* HARROP, R.

CROMMELIN, D. J. A. *See* POSTMA, N. S.

CUNHA, F. Q. *See* ROMÃO, P. R. T.

CURTIS, R. H. C. *See* LOPEZ DE MENDOZA, M. E.

D'ALESSANDRO, U. *See* ZECHINI, B.

DALTON, J. P. *See* HOLA-JAMRISKA, L.

DA-SILVA, S. A. G., COSTA, S. S. and ROSSI-BERGMANN, B. The anti-leishmanial effect of Kalanchoe is mediated by nitric oxide intermediates, 575

DE GRAAF, W. *See* PIT, D. S. S.

DEPLAZES, P. *See* BIDERRE, C.

DEPLAZES, P. *See* BREITENMOSER, A. C.

DEPLAZES, P. *See* MORGAN, U. M.

DE SOUZA, W. *See* DIAS FILHO, B. P.

DE VLAS, S. J. *See* PIT, D. S. S.

DIAS FILHO, B. P., BENCHIMOLI, M., ANDRADE, A. F. B., ANGLUSTER, J. and DE SOUZA, W. Purification and immunocytochemical localization of neuraminidase from *Tritrichomonas foetus*, 17

DILLON, R. J. and LANE, R. P. Detection of *Leishmania* lipophosphoglycan binding proteins in the gut of the sandfly vector, 27

DOENHOFF, M. J. *See* HAMILTON, J. V.

DONNELLY, C. A. *See* BROOKER, S.

DO ROSARIO, V. E. *See* AREZ, A. P.

DOVER, G. A. *See* STEVENS, J. R.

DRUILHE, P. *See* CHATTERJEE, S.

DUBEY, J. P. *See* ELLIS, J. T.

DUBEY, J. P. *See* LINDSAY, D. S.

DUNN, A. M. *See* TERRY, R. S.

DUNNE, D. W. *See* KABATEREINE, N. B.

DURAND, P. *See* MÜLLER-GRAF, C. D. M.

ELING, W. M. C. *See* POSTMA, N. S.

ELLIOT, A. *See* MORGAN, U. M.

ELLIS, J. T., MORRISON, D. A., LIDDELL, S., JENKINS, M. C., MOHAMMED, O. B., RYCE, C. and DUBEY, J. P. The genus *Hammondia* is paraphyletic, 357

ELLIS, J. T. *See* ATKINSON, R.

ERESH, S. *See* McCANN, S. H. E.
EVANS-GOWING, R. *See* KEARN, G. C.

FALLON, P. G. *See* HAMILTON, J. V.
FAVRE, N., RYFFEL, B. and RUDIN, W. Parasite killing in murine malaria does not require nitric oxide production, 139
FAVRE, N., RYFFEL, B. and RUDIN, W. The development of murine cerebral malaria does not require nitric oxide production, 135
FELIU, C. *See* MÜLLER-GRAF, C. D. M.
FERNANDES, O., MANGIA, R. H., LISBOA, C. V., PINHO, A. P., MOREL, C. M., ZINGALES, B., CAMPBELL, D. A. and JANSEN, A. M. The complexity of the sylvatic cycle of *Trypanosoma cruzi* in Rio de Janeiro state (Brazil) revealed by the non-transcribed spacer of the mini-exon gene, 161
FERREIRA, S. H. *See* ROMÃO, P. R. T.
FONSECA, S. G. *See* ROMÃO, P. R. T.
FONTAINE, J. *See* COCUDE, C.
FORBES, D. A. *See* MORGAN, U. M.
FRANCO, A. S. *See* AREZ, A. P.
FUKUMA, T. *See* HIRATA, M.
FULFORD, A. J. C. *See* KABATEREINE, N. B.

GASSER, R. B. *See* BØGH, H. O.
GERN, L. *See* HUMAIR, P. F.
GIBSON, W. C. *See* STEVENS, J. R.
GODIN, C. *See* COCUDE, C.
GOTTSTEIN, B. *See* HAAG, K. L.
GOULD, R. J. *See* JONES, M. K.
GOWEN, S. *See* LOPEZ DE MENDOZA, M. E.
GRISARD, E. C., CAMPBELL, D. A. and ROMANHA, A. J. Mini-exon gene sequence polymorphism among *Trypanosoma rangeli* strains isolated from distinct geographical regions, 375
GROTH, D. A. *See* HOPKINS, R. M.
GRYSEELS, B. *See* TCHUEM-TCHUENTE, L. A.
GUARNERA, E. A. *See* ROSENZVIT, M. C.
GUYATT, H. L., BROOKER, S. and DONNELLY, C. A. Can prevalence of infection in school-aged children be used as an index for assessing community prevalence?, 257

HAAG, K. L., ARAÚJO, A. M., GOTTSTEIN, B., SILES-LUCAS, M., THOMPSON, R. C. A. and ZAHA, A. Breeding systems in *Echinococcus granulosus* (Cestoda: Taeniidae): selfing or outcrossing?, 63
HAGEN, H.-E. *See* KLÄGER, S. L.
HAMILTON, J. V., CHIODINI, P. L., FALLON, P. G. and DOENHOFF, M. J. Periodate-sensitive immunological cross-reactivity between keyhole limpet haemocyanin (KLH) and serodiagnostic *Schistosoma mansoni* egg antigens, 83
HARDIE, L. J. *See* ROBERTS, H. C.
HARPER, P. A. W. *See* ATKINSON, R.
HARNETT, W. *See* HOUSTON, K. M.
HARROP, R., COULSON, P. S. and WILSON, R. A. Characterization, cloning and immunogenicity of antigens released by lung-stage larvae of *Schistosoma mansoni*, 583
HENKE, M. *See* JÄKEL, T.
HENTTONEN, H. *See* LAAKKONEN, J.
HERMSEN, C. C. *See* POSTMA, N. S.
HO, L. C. *See* CHEN, X. Q.
HERTZBERG, H. *See* MORGAN, U. M.
HIRATA, M., NAKASHIMA, T. and FUKUMA, T. Characteristics of eosinophilic inclusions within *Schistosoma japonicum* eggs, 269
HOLA-JAMRISKA, L., DALTON, J. P., AASKOV, J. and BRINDLEY, P. J. Dipeptidyl peptidase I and III activities of adult schistosomes, 275
HOOLE, D. *See* NIE, P.
HOPKINS, R. M., CONSTANTINE, C. C., GROTH, D. A., WETHERALL, J. D., REYNOLDSON, J. A. and THOMPSON, R. C. A. PCR-based DNA fingerprinting of *Giardia duodenalis* isolates using the intergenic rDNA spacer, 531
HORTON, K. M. *See* LINDSAY, D. S.
HOSTE, H. *See* HUBY, F.
HOTHERSALL, J. S. *See* ROMÃO, P. R. T.
HOWE, J. *See* CHEN, X. Q.
HOUSTON, K. M. and HARNETT, W. Mechanisms underlying the transfer of phosphorylcholine to filarial nematode glycoproteins – a possible role for choline kinase, 311
HUBY, F., MALLET, S. and HOSTE, H. Role of acetylcholinesterase (AChE) secreted by parasitic nematodes on the growth of the cell line from epithelial origin HT29-D4, 489
HUDSON, P. J. *See* TOMPKINS, D. M.
HUGOT, J.-P. *See* MÜLLER-GRAF, C. D. M.
HUMAIR, P. F., RAIS, O. and GERN, L. Transmission of *Borrelia afzelii* from *Apodemus* mice and *Clethrionomys* voles to *Ixodes ricinus* ticks: differential transmission pattern and overwintering maintenance, 33
HURST, G. D. D., BANDI, C., SACCHI, L., COCHRANE, A. G., BERTRAND, D., KARACA, I. and MAJERUS, M. E. N. *Adonia variegata* (Coleoptera: Coccinellidae) bears maternally inherited Flavobacteria that kill males only, 125

JÄKEL, T., ARCHER-BAUMANN, C., BOEHMLER, A. M., SORGER, I., HENKE, M., KLIEMT, D. and MACKENSTEDT, U. Identification of a subpopulation of merozoites of *Sarcocystis singaporensis* that invades and partially develops inside muscle cells *in vitro*, 235
JANSEN, A. M. *See* FERNANDES, O.
JENKINS, M. C. *See* ELLIS, J. T.
JOHANSEN, M. V. *See* LINDBERG, R.
JONES, M. K., ZHANG, L.-H., GOULD, R. J. and McMANUS, D. P. Ultrastructural localization of an *Echinococcus granulosus* laminin-binding protein, 319
JOURDANE, J. *See* TCHUEM-TCHUENTE, L. A.

KABATEREINE, N. B., VENNERVALD, B. J., OUMA, J. H., KEMIJUMBI, J., BUTTERWORTH, A. E., DUNNE, D. W. and FULFORD, A. J. C. Adult resistance to schistosomiasis mansoni: age-dependence of reinfection remains constant in communities with diverse exposure patterns, 101
KAMENETZKY, L. *See* ROSENZVIT, M. C.
KARACA, I. *See* HURST, G. D. D.
KAYA, H. K. *See* CAMPBELL, J. F.
KEARN, G. C., EVANS-GOWING, R. and TAPPENDEN, T. The opercular bond in the egg-shell of the monogenean *Entobdella soleae*, a platyhelminth skin parasite of the common sole (Solea solea), 433
KELLY, J. M. *See* MONDRAGON, A.
KEMIJUMBI, J. *See* KABATEREINE, N. B.
KENNEDY, C. R. *See* ASHWORTH, S. T.
KENNEDY, M. W. *See* MODHA, J.
KHALIFE, J. *See* COCUDE, C.
KLÄGER, S. L., HAGEN, H.-E. and BRADLEY, J. E. Effects of an *Onchocerca*-derived cysteine protease inhibitor on microfilariae in their simuliid vector, 305
KLIEMT, D. *See* JÄKEL, T.
KNOX, D. P. *See* SKUCE, P. J.
KOPPENHÖFFER, A. M. *See* CAMPBELL, J. F.
KUHN, R. E. *See* CLARK, P. K.
KUHN, R. E. *See* TOENJES, S. A.
KUSEL, J. R. *See* MODHA, J.

LAAKONEN, J., HENTTONEN, H., NIEMIMAA, J. and SOVERI, T. Seasonal dynamics of *Pneumocystis carinii* in the field vole, *Microtus agrestis*, and in the common shrew, *Sorex araneus*, in Finland, 1
LABUDA, M. *See* RANDOLPH, S. E.
LANE, R. P. *See* DILLON, R. J.
LAURSEN, J. R. and YOSHINO, T. P. *Biomphalaria glabrata* embryonic (Bge) cell line supports *in vitro* miracidial transformation and early larval development of the deer liver fluke, *Fascioloides magna*, 187

LE RAY, D. *See* VAN DEN ABBEELE, J.
LI, K. *See* SENOK, A. C.
LIDDELL, S. *See* ELLIS, J. T.
LINDBERG, R., JOHANSEN, M. V., NILSSON, C. and NANSEN, P. An immunohistological study of phenotypic characteristics of cells of the inflammatory response in the intestine of *Schistosoma bovis*-infected goats, 91
LINDSAY, D. S., DUBEY, J. P., HORTON, K. M. and BOWMAN, D. D. Development of *Sarcocystis falcatula* in cell cultures demonstrates that it is different from *Sarcocystis neurona*, 227
LISBOA, C. V. *See* FERNANDES, O.
LOPEZ DE MENDOZA, M. E., CURTIS, R. H. C. and GOWEN, S. Identification and characterization of excreted–secreted products and surface coat antigens of animal and plant-parasitic nematodes, 397
LY, A. *See* TCHUEM-TCHUENTE, L. A.
LYSY, J. *See* RANDOLPH, S. E.

MACKENSTEDT, U. *See* JÄKEL, T.
MAJERUS, M. E. N. *See* HURST, G. D. D.
MALLET, S. *See* HUBY, F.
MANGIA, R. H. *See* FERNANDES, O.
MARTINEZ, J., PEREZ SERRANO, J., BERNADINA, W. E. and RODRIGUEZ-CAABEIRO, F. Influence of parasitization by *Trichinella spiralis* on the levels of heat shock proteins in rat liver and muscle, 201
MARTINEZ, J., PEREZ-SERRANO, J., BERNADINA, W. E. and RODRIGUEZ-CAABEIRO, F. Shock response induced in rat brain and spleen during primary infection with *Trichinella spiralis* larvae, 605
MATHIS, A. *See* BIDERRE, C.
MATHIS, A. *See* BREITENMOSER, A. C.
MCCANN, S. H. E., ERESH, S. and BARKER, D. C. Kinetoplast minicircle DNA from *Leishmania* (*Viannia*) *lainsoni*, 371
MCCARTHY, A. M. The influence of temperature on the survival and infectivity of the cercariae of *Echinoparyphium recurvatum* (Digenea: Echinostomatidae), 383
MCMANUS, D. P. *See* JONES, M. K.
MCMANUS, D. P. *See* ROSENZVIT, M. C.
MERCER, J. G. *See* ROBERTS, H. C.
METENIER, G. *See* BIDERRE, C.
MIKLISOVÁ, D. *See* RANDOLPH, S. E.
MILES, A. *See* BUCKLING, A.
MODHA, J., ROBERTS, M. C., ROBERTSON, W. M., SWEETMAN, G., POWELL, K. A., KENNEDY, M. W. and KUSEL, J. R. The surface coat of infective larvae of *Trichinella spiralis*, 509
MODIANO, D. *See* AREZ, A. P.
MOHAMMED, O. B. *See* ELLIS, J. T.
MONDRAGON, A., WILKINSON, S. R., TAYLOR, M. C. and KELLY, J. M. Optimization of conditions for growth of wild-type and genetically transformed *Trypanosoma cruzi* on agarose plates, 461
MOONEY, K. A. *See* TOENJES, S. A.
MORAND, S. *See* MÜLLER-GRAF, C. D. M.
MOREL, C. M. *See* FERNANDES, O.
MORGAN, U. M., DEPLAZES, P., FORBES, D. A., SPANO, F., HERTZBERG, H., SARGENT, K. D., ELLIOT, A. and THOMPSON, R. C. A. Sequence and PCR-RFLP analysis of the internal transcribed spacers of the rDNA repeat unit in isolates of *Cryptosporidium* from different hosts, 49
MORRISON, D. A. *See* ATKINSON, R.
MORRISON, D. A. *See* ELLIS, J. T.
MÜLLER-GRAF, C. D. M., DURAND, P., FELIU, C., HUGOT, J.-P. O'CALLAGHAN, C. J., RENAUD, F., SANTALLA, F. and MORAND, S. Epidemiology and genetic variability of two species of nematodes (*Heligmosomoides polygyrus* and *Syphacia stroma*) of *Apodemus* spp., 425
MÜLLER-GRAF, C. D. M., WOOLHOUSE, M. E. J. AND PACKER, C. Epidemiology of an intestinal parasite (*Spirometra* spp.) in two populations of African lions (*Panthera leo*), 407

NAGANO, I. *See* WU, Z.
NAKASHIMA, T. *See* HIRATA, M.
NANSEN, P. *See* LINDBERG, R.
NELSON, E. A. S. *See* SENOK, A. C.
NGONSEU, E. *See* ZECHINI, B.
NICHANI, A. K., THORP, B. H., BROWN, G. G. D., CAMPBELL, J. D. M., BROWN, D. J., RITCHIE, M. and SPOONER, R. L. *In vivo* development of *Theileria annulata*: major changes in efferent lymph following infection with sporozoites or allogeneic schizont-infected mononuclear cells, 327
NIE, P. and HOOLE, D. Antibody response of carp, *Cyprinus carpio* to the cestode, *Bothriocephalus acheilognathi*, 635
NIEMIMAA, J. *See* LAAKKONEN, J.
NIKKILÄ, T. *See* WAHLSTRÖM, K.
NILSEN, F. Small subunit rDNA phylogeny of *Bacillidium* sp. (Microspora, Mrazekiidae) infecting oligochaets, 553
NILSSON, C. *See* LINDBERG, R.
NORONHA-DUTRA, A. A. *See* ROMÃO, P. R. T.
NOYES, H. A. *See* STEVENS, J. R.

O'CALLAGHAN, C. J. *See* MÜLLER-GRAF, C. D. M.
OUMA, J. H. *See* KABATEREINE, N. B.

PACKER, C. *See* MÜLLER-GRAF, C. D. M.
PALENZUELA, O., ÁLVAREZ-PELLITERO, P. and SITJÀ-BOBADILLA, A. Glomerular disease associated with *Polysporoplasma sparis* (Myxozoa) infections in cultured gilthead sea bream, *Sparus aurata* L. (Pisces: Teleostei), 245
PEREZ SERRANO, J. *See* MARTINEZ, J.
PIERROT, C. *See* COCUDE, C.
PINHO, A. P. *See* FERNANDES, O.
PINTO, J. *See* AREZ, A. P.
PIT, D. S. S., DE GRAAF, W., SNOEK, H., DE VLAS, S. J., BAETA, S. M. and POLDERMAN, A. M. Diagnosis of *Oesophagostomum bifurcum* and hookworm infection in humans: day-to-day and within-specimen variation in larval counts, 283
POLDERMAN, A. M. *See* PIT, D. S. S.
POSTMA, N. S., HERMSEN, C. C., CROMMELIN, D. J. A., ZUIDEMA, J. and ELING, W. M. C. Treatment with recombinant human tumour necrosis factor-α reduces parasitaemia and prevents *Plasmodium berghei* K-173-induced experimental cerebral malaria in mice, 7
POWELL, K. A. *See* MODHA, J.
POZIO, E. *See* WU, Z.

QIAN, B.-Z. *See* BØGH, H. O.

RAIS, O. *See* HUMAIR, P. F.
RANDOLPH, S. E., MIKLISOVÁ, D., LYSY, J., ROGERS, D. J. and LABUDA, M. Incidence from coincidence: patterns of tick infestations on rodents facilitate transmission of tick-borne encephalitis virus, 177
RANFORD-CARTWRIGHT, L. C. *See* BUCKLING, A.
READ, A. F. *See* BUCKLING, A.
RENAUD, F. *See* MÜLLER-GRAF, C. D. M.
RENZ, A. *See* TCHAKOUTÉ, V. L.
REYNOLDSON, J. A. *See* HOPKINS, R. M.
RIBEIRO, H. *See* AREZ, A. P.
RITCHIE, M. *See* NICHANI, A. K.
ROBERTS, H. C., HARDIE, L. J., CHAPPELL, L. H. and MERCER, J. G. Parasite-induced anorexia: leptin, insulin and corticosterone responses to infection with the nematode, *Nippostrongylus brasiliensis*, 117
ROBERTS, M. C. *See* MODHA, J.
ROBERTSON, W. M. *See* MODHA, J.
RODRIGUEZ-CAABEIRO, F. *See* MARTINEZ, J.
ROGERS, D. J. *See* RANDOLPH, S. E.
ROMANHA, A. J. *See* GRISARD, E. C.
ROMÃO, P. R. T., FONSECA, S. G., HOTHERSALL, J. S., NORONHA-DUTRA, A. A., FERREIRA, S. H. and CUNHA, F. Q. Glutathione

protects macrophages and *Leishmania major* against nitric oxide-mediated cytotoxicity, 559

ROSENZVIT, M. C., ZHANG, L.-H., KAMENETZKY, L., CANOVA, S. G., GUARNERA, E. A. and MCMANUS, D. P. Genetic variation and epidemiology of *Echinococcus granulosus* in Argentina, 523

ROSSI-BERGMANN, B. *See* DA-SILVA, S. A. G.

RUDIN, W. *See* FAVRE, N.

RYCE, C. *See* ATKINSON, R.

RYCE, C. *See* ELLIS, J. T.

RYFFEL, B. *See* FAVRE, N.

SACCHI, L. *See* HURST, G. D. D.

SÁDLOVÁ, J. *See* VOLF, P. Occurrence of *Leishmania major* in sandfly urine, 455

SANTALLA, F. *See* MÜLLER-GRAF, C. D. M.

SARGENT, K. D. *See* MORGAN, U. M.

SARKAR, D. *See* BANERJEE, C.

SENOK, A. C., LI, K., NELSON, E. A. S. and CHUNG, K. W. *In vitro* sensitivity of artemeter in *Plasmodium falciparum*-infected beta-thalassaemic trait erythrocytes, 145

SILES-LUCAS, M. *See* HAAG, K. L.

SINGH, M. *See* CHEN, X. Q.

SITJÀ-BOBADILLA, A. *See* PALENZUELA, O.

SKUCE, P. J., STEWART, E. M., SMITH, W. D. and KNOX, D. P. Cloning and characterization of glutamate dehydrogenase (GDH) from the gut of *Haemonchus contortus*, 297

SMITH, J. E. *See* TERRY, R. S.

SMITH, W. D. *See* SKUCE, P. J.

SNOEK, H. *See* PIT, D. S. S.

SNOUNOU, G. *See* AREZ, A. P.

SORGER, I. *See* JÄKEL, T.

SOUSA, C. A. *See* AREZ, A. P.

SOUTHGATE, V. R. *See* TCHUEM TCHUENTE, L. A.

SOVERI, T. *See* LAAKKONEN, J.

SPANO, F. *See* MORGAN, U. M.

SPOLSKI, R. J. *See* TOENJES, S. A.

SPOONER, R. L. *See* NICHANI, A. K.

STEVENS, J. R., NOYES, H. A., DOVER, G. A. and GIBSON, W. C. The ancient and divergent origins of the human pathogenic trypanosomes, *Trypanosoma brucei* and *T. cruzi*, 107

STEWART, E. M. *See* SKUCE, P. J.

SWEETMAN, G. *See* MODHA, J.

TAKAHASHI, Y. *See* WU, Z. 277

TAN, S. W. *See* CHEN, X. Q.

TANYA, V. *See* TCHAKOUTÉ, V. L.

TAPPENDEN, T. *See* KEARN, G. C.

TAYLOR, M. C. *See* MONDRAGON, A.

TCHAKOUTÉ, V. L., BRONSVOORT, M., TANYA, V., RENZ, A. and TREES, A. J. Chemoprophylaxis of *Onchocerca* infections: in a controlled, prospective study ivermectin prevents calves becoming infected with *O. ochengi*, 195

TCHUEM TCHUENTE, L. A., SOUTHGATE, V. R., THÉRON, A., JOURDANE, J., LY, A. and GRYSEELS, B. Compatibility of *Schistosoma mansoni* and *Biomphalaria pfeifferi* in Northern Senegal, 595

TERRY, R. S., DUNN, A. M. and SMITH, J. E. Segregation of a microsporidian parasite during host cell mitosis, 43

THÉRON, A. *See* TCHUEM TCHUENTE, L. A.

THOMPSON, R. C. A. *See* HAAG, K. L.

THOMPSON, R. C. A. *See* HOPKINS, R. M.

THOMPSON, R. C. A. *See* MORGAN, U. M.

THORP, B. H. *See* NICHANI, A. K.

TOENJES, S. A., SPOLSKI, R. J., MOONEY, K. A. and KUHN, R. E. The systemic immune response of BALB/c mice infected with larval *Taenia crassiceps* is a mixed Th1/Th2-type response, 623

TOMPKINS, D. M. and HUDSON, P. J. Regulation of nematode fecundity in the ring-necked pheasant (*Phasianus colchicus*): not just density dependence, 417

TREES, A. J. *See* TCHAKOUTÉ, V. L.

UGGLA, A. *See* WAHLSTRÖM, K.

VALTONEN, E. T. *See* BAGGE, A. M.

VAN BOCKSTAELE, D. *See* VAN DEN ABBEELE, J.

VAN DEN ABBEELE, J., CLAES, Y., VAN BOCKSTAELE, D., LERAY, D. and COOSEMANS, M. *Trypanosoma brucei* spp. development in the tsetse fly: characterization of the post-mesocyclic stages in the foregut and proboscis, 469

VENNERVALD, B. J. *See* KABATEREINE, N. B.

VIVARES, C. P. *See* BIDERRE, C.

VOLF, P. *See* SÁDLOVÁ, J.

WAHLSTRÖM, K., NIKKILÄ, T. and UGGLA, A. *Sarcocystis* species in skeletal muscle of otter (*Lutra lutra*), 59

WEBER, R. *See* BIDERRE, C.

WEBER, R. *See* BREITENMOSER, A. C.

WERY, M. *See* CHATTERJEE, S.

WERY, M. *See* ZECHINI, B.

WETHERALL, J. D. *See* HOPKINS, R. M.

WILKINSON, S. R. *See* MONDRAGON, A.

WILSON, R. A. *See* HARROP, R.

WOOLHOUSE, M. E. J. *See* MÜLLER-GRAF, C. D. M.

WU, Z., NAGANO, I., POZIO, E. and TAKAHASHI, Y. Polymerase chain reaction–restriction fragment length polymorphism (PCR–RFLP) for the identification of *Trichinella* isolates, 211

WU, Z., NAGANO, I. and TAKAHASHI, Y. A panel of antigens of muscle larvae of *Trichinella spiralis* and *T. pseudospiralis* as revealed by two-dimensional Western blot and immunoelectron microscopy, 615

YAP, E. H. *See* CHEN, X. Q.

YOSHINO, T. P. *See* LAURSEN, J. R.

ZAHA, A. *See* HAAG, K. L.

ZECHINI, B., CORDIER, L., NGONSEU, E., D'ALESSANDRO, U., WERY, M. and CHATTERJEE, S. *Plasmodium berghei* development in irradiated sporozoite-immunized C57 BL6 mice, 335

ZHANG, L.-H. *See* JONES, M. K.

ZHANG, L.-H. *See* ROSENZVIT, M. C.

ZHU, X. W. *See* BØGH, H. O.

ZINGALES, B. *See* FERNANDES, O.

ZUIDEMA, J. *See* POSTMA, N. S.

Index of Subjects

Acetylcholinesterase, from parasitic nematodes, role of on cell growth, 489
Adonia variegata, maternally inherited Flavobacteria carried by, 125
Age–intensity profile, in schistosomiasis mansoni, 101
Anguilla anguilla, density-dependent effects on *Anguillicola crassus* in, 289
Anguillicola crassus, density-dependent effects on in its definitive host, 289
Anorexia, induction of by parasites, 117
Antibodies, to irradiated *Plasmodium berghei* sporozoites, 219
Antigens, of lung-stage larvae of *Schistosoma mansoni*, 583
Apodemus spp., epidemiology and genetic variability of *Heligomosomoides polygyrus* and *Syphacia stroma* in, 425
Apoptosis, is not induced in murine fibroblasts by *Trypanosoma cruzi*, 167
Artemether, *in vitro* sensitivity of in *Plasmodium falciparum*-infected beta-thalassaemic trait erythrocytes, 145

Bacillidium sp., small subunit rDNA phylogeny of, 553
Biomphalaria glabrata embryonic cell line, use of to support *in vitro* miracidial transformation, 187
Biomphalaria pfeifferi, compatibility of with *Schistosoma mansoni*, 595
Blastocystis ratti, *in vitro* encystation and excystation of, 151
Borrelia afzelii, transmission of from *Apodemus* mice and *Clethrionomys* voles, to *Ixodes ricinus* ticks, 33
Bothriocephalus acheilognathi, the antibody response of *Cyprinus carpio* to, 635
β-Thalassaemic trait RBCs, *in vitro* sensitivity of artemeter in *Plasmodium falciparum*-infected, 145

Cell culture, use of to distinguish between *Sarcocystis falcatula* and *S. neurona*, 227
Cell growth, role of Trichostrongylid acetylcholinesterase on, 489
Cellular response in schistosomiasis bovis, 91
Cerebral malaria, development of in mice does not require nitric oxide production, 135
Characterization, of *Theileria parva* from cattle and buffalo, 541
Chemoprophylaxis, of *Onchocerca* infections, 195
Chloroquine, effect of on *Plasmodium falciparum* gametocytogenesis *in vitro*, 339
Choline kinase, possible role of in the transfer of phosphorylcholine to nematode glycoproteins, 311
Clonal outbreak, of *Plasmodium falciparum* malaria, 347
Cloning, of *Schistosoma mansoni* lung-stage larval antigens, 583
Community prevalence, assessment of in school-aged children, 257
Compatibility, of *Schistosoma mansoni* and *Biomphalaria pfeifferi*, 595
Cryptosporidium isolates, sequence and PCR-RFLP analysis of, 49
Cyprinus carpio, the antibody response of to *Bothriocephalus acheilognathi*, 635
Cysteine protease inhibitor, from *Onchocerca volvulus*, 305

Density-dependent effects, on *Anguillicola crassus*, 289
Developmental regulation, of *Schistosoma mansoni* serine protease, 389
Development, of monogenean communities on the gills of *Rutilus rutilus*, 479
of *Plasmodium berghei* in irradiated sporozoite-immunized C57BL6 mice, 335
of *Theileria annulata* in efferent lymph, 327
of *Trypanosoma brucei* spp. in the tsetse fly, 469
Diagnosis, of *Oesophagostomum bifurcum* and hookworm in humans, 283
Dipeptidyl peptidases I and III, activities of in adult schistosomes, 275
DNA fingerprinting, of *Giardia duodenalis*, 531
rDNA phylogeny, of *Bacillidium* sp., 553

Echinococcus granulosus, genetic variation and epidemiology of in Argentina, 523
localization of a laminin-binding protein in, 319
reproductive systems in, 63
Echinoparyphium recurvatum, survival and infectivity of the cercariae of, 383
Egg antigens, of *Schistosoma mansoni*, cross-reaction of with KLH, 83
Eggs, eosinophilic inclusions in, in *Schistosoma japonicum*, 269
Encephalitis virus, patterns of tick infestations on rodents facilitate transmission of, 177
Encephalitozoon cuniculi, molecular karyotype diversity in, 439
Encystation, of *Blastocystis ratti*, 151
Enterocytozoon bieneusi, high prevalence of in swine, 447
Entobdella soleae, the opercular bond in the egg-shell of, 433
Entomopathogenic nematodes, test of the phased infectivity hypothesis in, 499
Eosinophilic inclusions, characteristics of in *Schistosoma japonicum* eggs, 269
Epidemiology, of *Echinococcus granulosus* in Argentina, 523
of *Spirometra* spp. in African lions, 407
Evolution, of pathogenic trypanosomes, 107
Excreted–secreted products, of animal and plant-parasitic nematodes, 397
Exoproteases, in adult schistosomes, 275
Experimental cysticercosis, the systemic immune response of BALB/c mice during is a mixed Th1/Th2 type, 623

Fascioloides magna, *in vitro* cultivation of larval stages of, 187
Fecundity, density dependence and inverse density dependence in, 417
Flavobacteria, on *Adonia variegata*, 125

Gametocytogenesis, effect of chloroquine on in *Plasmodium falciparum*, 339
Genetic variability, assessment of in *Echinococcus granulosus*, 63
direct visual display of in *Schistosoma japonicum* mitochondrial DNA fragments, 73
Genetic variation, of *Echinococcus granulosus* in Argentina, 523
Giardia duodenalis, PCR-based DNA fingerprinting of, 531
Glomerular disease, association of with *Polysporoplasma sparis* in cultured sea bream, 245
Glutamate dehydrogenase, cloning and characterization of from *Haemonchus contortus* gut, 297
Glutathione, protection of macrophages and *Leishmania major* against NO-mediated cytotoxicity by, 559

Haemonchus contortus, cloning and characterization of glutamate dehydrogenase from the gut of, 297
Hammondia, is paraphyletic, 357
Heat shock proteins, effects of *Trichinella spiralis* on in rat liver and muscle, 201
induction of in rat brain and spleen by infection with *Trichinella spiralis*, 605
Heligmosomoides polygyrus, epidemiology and genetic variability of in *Apodemus* spp., 425
Hookworm, diagnosis of in humans, 283

Immune response, of BALB/c mice to larval *Taenia crassiceps* infection, 623

Immunogenicity, of *Schistosoma mansoni* lung-stage larval antigens, 583
Immunopathology, of the intestine of *Schistosoma bovis*-infected goats, 91
Infective larvae, of *Trichinella spiralis*, characterization of the surface coat of, 509
Infectivity, of *Echinoparyphium recurvatum* cercariae, 383
Inflammatory cells, phenotypic characteristics of in the intestine of *Schistosoma bovis*-infected goats, 91
Intergenic rDNA spacer, use of in DNA fingerprinting of *Giardia duodenalis*, 531
Internal transcribed spacer polymorphism, in *Theileria parva*, 541
Intestinal nematode infections, assessing community prevalence of, 257
Invasion, of muscle cells by the merozoites of *Sarcocystis singaporensis*, 235
Irradiated sporozoites, of *Plasmodium berghei*, antibodies to, 219
Ivermectin, prevention of *Onchocerca* infection by, 195
Ixodes ricinus, patterns of infestations of on rodents facilitate transmission of tick-borne encephalitis virus, 177
transmission patterns of *Borrelia afzelii* to, 33

Kalanchoe pinnata, extract of induces NO in leishmaniasis, 575
Keyhole limpet haemocyanin, cross-reactivity of with *Schistosoma mansoni* egg antigens, 83
Kinetoplast minicircle DNA, from *Leishmania* (*Viannia*) *lainsoni*, 371

Laminin-binding protein, localization of in *Echinococcus granulosus*, 319
Larval development, of *Fascioloides magna in vitro*, 187
Leishmania, binding proteins for lipophosphoglycan of detected in sandfly gut, 27
Leishmania donovani, Ca^{2+} and calmodulin-dependent protein phosphatase from, 567
Leishmania major, occurrence of in sandfly urine, 455
protection of against NO-mediated cytotoxicity by glutathione, 559
Leishmania (*Viannia*) *lainsoni*, kinetoplast minicircle DNA from, 371
Leishmaniasis, NO induction in by *Kalanchoe pinnata*, 575
Leptin, plasma concentrations of during *Nippostrongylus brasiliensis* infection, 117
Lipophosphoglycan binding proteins, detection of in the sandfly gut, 27
Lutra lutra, *Sarcocystis* spp. in skeletal muscle of, 59

Macrophages, protection of against NO-mediated cytotoxicity by glutathione, 559
Malaria, a clonal outbreak of in the Republic of Cabo Verde, 347
Malaria parasite killing, in nitric oxide synthase-deficient mice, 139
Male-killing bacteria, on *Adonia variegata*, 125
Microsporidians, segregation of during host cell mitosis, 43
Mini-exon gene variability, in *Trypanosoma rangeli*, 375
Miracidial transformation, of *Fascioloides magna in vitro*, 187
Mitochondrial DNA, genetic variability in, among populations of *Schistosoma japonicum*, 73
Molecular karyotype, diversity of in *Encephalitozoon cuniculi*, 439
Monogenean communities, development of on *Rutilus rutilus* gills, 479
Murine cerebral malaria, treatment of with tumour necrosis factor-α, 7
Murine fibroblasts, *Trypanosoma cruzi* does not induce apoptosis in, 167
Muscle cells, invasion of by a subpopulation of *Sarcocystis singaporensis* merozoites, 235
Mutation scanning, in *Schistosoma japonicum*, 73

Nematode fecundity, regulation of in the ring-necked pheasant, 417
Nematode glycoproteins, transfer of phosphorylcholine to, 311
Nematode infections, assessing community prevalence of, 257
Nematodes, the surface coat and excreted–secreted products of, 397
Neospora caninum, biological characteristics, 363
comparison of two isolates of, 363
Neuraminidase, purification and immunocytochemical localization of from *Tritrichomonas foetus*, 17
Nippostrongylus brasiliensis, anorexia induced by, 117
Nitric oxide intermediates, mediation of the anti-leishmanial effects of *Kalanchoe* by, 575
Nitric oxide, production of is not required for development of murine cerebral malaria, 135
Nitric oxide-mediated cytotoxicity, protection against by glutathione, 559
Non-infectious dauer stages, are there any in entomopathogenic nematode populations?, 499
Nosema sp., segregation of during host cell mitosis, 43

Oesophagostomum bifurcum, diagnosis of in humans, 283
Onchocerca-derived cysteine protease inhibitor, effects of on microfilariae, 305
Onchocerca ochengi, chemoprophylaxis of infections of, 195
Onchocystatin, from *Onchocerca volvulus*, effect of on microfilariae, 305
Opercular bond, in *Entobdella soleae* egg-shell, 433
Otter, *Sarcocystis* spp. in the skeletal muscles of, 59
Overwintering maintenance, of *Borrelia afzelii*

Panthera leo, *Spirometra* spp. infections in, 407
Pathogenic protozoa, the presence of a PP2B-type protein phosphatase in, 567
Pathogenic trypanosomes, ancient and divergent origins of, 107
Pathogenicity, of two isolates of *Neospora caninum*, 363
PCR–RFLP analysis, of the rDNA repeat unit of *Cryptosporidium* from different hosts, 49
PCR–RFLP, use of for the identification of *Trichinella* isolates, 211
Phased infectivity hypothesis, a test for in entomopathogenic nematodes, 499
Phasianus colchicus, regulation of nematode fecundity in, 417
Phlebotomus papatasi, detection of *Leishmania* lipophosphoglycan binding proteins in the gut of, 27
Phlebotomus spp., occurrence of *Leishmania major* in the urine of, 455
Phosphorylcholine, attachment of to *Acanthocheilonema* glycoprotein, 311
Phylogenetics, of pathogenic trypanosomes, 107
Phylogeny, of the genus *Hammondia*, 357
Plasmodium berghei, antibodies to irradiated sporozoites of, 219
course of infection of in nitric oxide synthase-deficient mice, 135
development of in irradiated sporozoite-immunized C57 BL6 mice, 335
treatment of experimental cerebral malaria induced by in mice, with tumour necrosis factor-α, 7
Plasmodium chabaudi chabaudi, parasite killing in murine malaria does not require nitric oxide production, 139
Plasmodium falciparum, effect of chloroquine on gametocytogenesis of *in vitro*, 339
Plasmodium falciparum-infected beta-thalassaemic trait RBCs, *in vitro* sensitivity of artemeter in, 145
Plasmodium falciparum malaria, clonal outbreak of in the Republic of Cabo Verde, 347
Pneumocystis carinii, seasonal dynamics of in the field vole and common shrew, in Finland, 1
Polysporoplasma sparis, glomerular disease associated with infections of in sea bream, 245

Post-mesocyclic stages, of *Trypanosoma brucei* spp., characterization of in the tsetse fly, 469
Prevalence, of *Enterocytozoon bieneusi* in swine, 447
Prevalence of infection, in school-aged children as an index for assessing community prevalence, 257
Protein phosphatase 2B, isolation of from *Leishmania donovani*, 567

Reproductive systems, in *Echinococcus granulosus*, 63
Republic of Cabo Verde, a clonal outbreak of malaria in, 347
Resistance, to schistosomiasis mansoni, in adults, 101
rRNA gene, sequences of in *Theileria parva* isolates, 541
Rutilus rutilus, development of monogenean communities on the gills of, 479

Sarcocystis falcatula, development of in cell cultures, 227
is different from *Sarcocystis neurona*, 227
Sarcocystis singaporensis, invasion of muscle cells by the merozoites of, 235
Sarcocystis spp., in skeletal muscle of the otter, 59
Schistosoma bovis, immunopathology of in the intestine of infected goats, 91
Schistosoma japonicum, mutation scanning in, 73
Schistosoma japonicum eggs, characteristics of eosinophilic inclusions in, 269
Schistosoma mansoni, antigens of the lung-stage larvae of, 583
compatibility of with *Biomphalaria pfeifferi*, 595
identification of a developmentally regulated serine protease in, 389
Schistosome egg antigens, cross-reactivity of with KLH, 83
Schistosomiasis mansoni, adult resistance to, 101
Schistosomes, dipeptidyl peptidase activities in, 275
Sea bream, glomerular disease in following infection with *Polysporoplasma sparis*, 245
Sequence polymorphism, in mini-exon genes among *Trypanosoma rangeli* strains, 375
Serine protease, is developmentally regulated in *Schistosoma mansoni*, 389
Seasonality, of *Pneumocystis carinii*, in the field vole and common shrew, in Finland, 1
Segregation, of *Nosema* sp. during host cell mitosis, 43
Sequence analysis, of the rDNA repeat unit of *Cryptosporidium* from different hosts, 49
Shock response, induction of in rat brain and spleen by infection with *Trichinella spiralis*, 605
Solid medium, use of for optimizing growth of *Trypanosoma cruzi*, 461
Sparus aurata, infection with *Polysporoplasma sparis* induces glomerular disease in, 245
Spirometra spp., infections of in African lions, 407
Steinernema spp., a test for the phased infectivity hypothesis in, 499
Surface coat antigens, of animal and plant-parasitic nematodes, 397
Surface coat, of infective larvae of *Trichinella spiralis*, 509
Survival, of *Echinoparyphium recurvatum* cercariae, 383
Sylvatic cycle, in *Trypanosoma cruzi*, 161
Syphacia stroma, epidemiology and genetic variability of in *Apodemus* spp., 425

Taenia crassiceps, larvae of induce a mixed Th1/Th2 response in BALB/c mice, 623
Th1/Th2 mixed response, of BALB/c mice to *Taenia crassiceps* larvae, 623
Theileria annulata, *in vivo* development of, 327
kinetics of in efferent lymph, 327
Theileria parva, internal transcribed spacer polymorphism in, 541
Tick-borne encephalitis foci, conditions for, 177
Transmission, of *Borrelia afzelii* from *Apodemus* mice and *Clethrionomys* voles to *Ixodes ricinus* ticks, 33
of tick-borne encephalitis virus, 177
Treatment, of experimental murine cerebral malaria, with human tumour necrosis factor-α, 7
Trichinella isolates, identification of by PCR–RFLP, 211
Trichinella pseudospiralis, characterization of a panel of antigens from, 615
Trichinella spiralis, characterization of a panel of antigens from, 615
effects of on rat liver and muscle heat shock proteins, 201
role of the surface coat in the host–parasite relationship of, 509
shock response induced by infection by in rat brain and spleen, 605
surface coat of the infective larvae of, 509
Trichostrongylid acetylcholine, role of on cell growth, 489
Tritrichomonas foetus, immunolocalization of neuraminidase in, 17
purification of neuraminidase from, 17
Trypanosoma brucei spp., development of in the tsetse fly, 469
Trypanosoma cruzi, does not induce apoptosis in murine fibroblasts, 167
optimal growth of on agarose, 461
the complexity of the sylvatic cycle of, 161
Trypanosoma rangeli, mini-exon gene sequence polymorphism among strains of, 375
Trypanosoma spp., ancient and divergent origins of, 107
Tumour necrosis factor-α, treatment of experimental murine cerebral malaria with, 7